# Imacon FlexFrame

## Solutions Guide

November 2001
Release 02

# Imacon FlexFrame

## Table of Contents


Introduction p. 3
Imacon FlexFrame Family p. 4
Composition diagram p. 5 - 6

Camera systems supported:
**35 mm.**
Horseman Digiflex II p. 7
Precision Wide p. 8
**Medium format.**
Fuji GX 680 I, II, III p. 9
Mamiya RZ 67 PRO II p. 10
Mamiya 645 PRO p. 11
Rollei 6001, 6003, 6008 p. 12
Hasselblad EL/ELM/ELX p. 13
Hasselblad 555 ELD p. 14
Hasselblad 503 CW p. 15
Hasselblad 2-way adp. p. 16
**View cameras**
Sinar P, P2, p. 18
Linhof M679 p. 19
Linhof Kardan 4 x 5" p. 20
Rollei Xact2 p. 21
Horseman 4 x 5" p. 22
Sinar f, Norma p. 23

Camera systems not suppported:
Bronica GS-1 p. 25
Bronica ETR-Si p. 25
Bronica SQ-Ai p. 25
Contax 645 AF p. 25
Mamiya 645 AF p .25
Mamiya RB 67 p. 25
Hasselblad 500C p. 26
Hasselblad 500CM p. 26
Hasselblad 503Cxi p .26
Hasselblad 2000f p. 26
Hasselblad 201FA p. 26
Hasselblad 203FE p. 26
Hasselblad 205TCC p. 26
Hasselblad ArcBody p. 26
Hasselblad FlexBody p. 26
HasselbladSW/C p. 26
Rollei SL66 p. 26
Rollei SLX p. 26

Compatibility chart p. 27
Links p. 28
Adapter request form p. 29

# Imacon FlexFrame

## Solutions Guide

The objective of this guide is to enhance your sales effort by giving you the total overview of camera adapters and other peripherals for one of the worlds most versatile and flexible systems in high- end digital photography.
In other words: **We want to help you succeed.**

## Adapters in short

The flexibility in the application of an Imacon FlexFrame camera back is largely owed to the idea, that one camera back should provide the right solution to any challenge the professional photographer may have to deal with.
To ensure your customer of just that, the Imacon FlexFrame family includes a range of adapters specially designed for use with the worlds leading medium- and large format cameras. There are even interfaces towards the use of 35mm system lenses.

## Complete solutions

At Imacon, we believe in solutions. Hence with the FlexFrame family, you can offer your customer more than just the best digital camera backs possible.
Together, you and Imacon provide complete digital imaging solutions specifically suited to individual demands. Beyond that, the FlexFrame family is also an open door to future challenges.

**NB!** *All item numbers listed herein refer to the official Imacon pricelist.*

# Imacon FlexFrame Family




**FlexFrame 3020-S**
**Item # 70270101**

- 24 X 36,9 mm. CCD sensor
- 6 million pixels (2.000 x 3.000)
- Single-shot
- 18 MB 8 bit / 36 MB 16 bit RGB files
- Portable by default
- Live video preview




**FlexFrame 3020**
**Item # 70220101**

- 24 X 36,9 mm. CCD sensor
- 6 million pixels (2.000 x 3.000)
- Single-shot / Multi-shot / Micro-step
- 18 – 72 MB 8 bit / 36 - 144 MB 16 bit RGB files
- Portable by default
- Live video preview




**FlexFrame 4040**
**Item # 70230101**

- 36,9 X 36,9 mm. CCD sensor
- 16 million pixels (4.000 x 4.000)
- Single-shot / Multi-shot / Micro-step
- 48 – 192 MB 8 bit /96 - 384 MB 16 bit RGB files
- Portable by default
- Live video preview

# Small and medium format camera composition diagram



# View camera composition diagram



# Imacon FlexFrame

## Horseman Digiflex II

The Hasselblad 555 ELD adapter allows you to mount a FlexFrame camera back on the Horseman DigiFlex II camera, and to release the camera shutter from the on- camera shutter release. **The Horseman DigiFlex "I " camera will NOT function properly with this adapter kit.**



Hasselblad ELD adapter

FlexFrame torx screw

FlexFrame torx screwdriver



Viewframe



Horseman DigiFlex II camera body

Nikon 35mm system lens

### The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020024

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by 35 mm camera design | Support by 35 mm camera design | Full support by square chip |

# Imacon FlexFrame

## Precision Wide 35 (P.K. S.r.l)

The Precision Wide is a basic 35 mm. Camera body, equipped with an electronic shutter control and a choice of either Nikon, Canon or Leica bayonet mount for 35 mm. system lenses.
The Hasselblad 2-way adapter allows you to mount a FlexFrame camera back on the Precision Wide camera.

Hasselblad 2-way adapter

3 x Expose cable

Precision Wide 35

Nikon 35mm system lens



FlexFrame torx screw

FlexFrame torx screwdriver



Viewframe

## The adapter kit contains the following components:

■ Camera back adapter plate ■ Exposure cable for Hasselblad ELX ■ Exposure cable for Hasselblad CW ■ Exposure cable for Rollei lens control S ■ Viewframes ■ 8 screws (4 for mounting, 4 spare) ■ screwdriver ■ manual

Item # 75020026

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by 35 mm camera design | Support by 35 mm camera design | Full support by square chip |

# Imacon FlexFrame

## Fuji GX680 I, II and III

The Fuji GX680 adapter kit allows you to mount a FlexFrame camera back on the Fuji GX680 I, II or III camera. This kit is for use only on the Fuji GX680 cameras, series I, II and III




### The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020020

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support due to revolving adapter on camera | Full support due to revolving adapter on camera | Full support by square chip |

# Imacon FlexFrame

## Mamiya RZ67 PRO-II

The Mamiya RZ67 PRO-II adaptor kit allows you to mount a FlexFrame camera back on the Mamiya RZ67 PRO-II camera. This kit is only for use on the Mamiya RZ67 PRO-II camera equipped with a motor drive.


Mamiya RZ67 adapter


Expose cable


Viewframe

FlexFrame torx screw

FlexFrame torx screwdriver


Mamiya RZ67

Lenses for Mamiya RZ67

## The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020021

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support due to revolving adapter on camera | Full support due to revolving adapter on camera | Full support by square chip |

# Imacon FlexFrame

## Mamiya 645 PRO

TheMamiya 645 PRO adapter kit allows you to mount a FlexFrame camera back on the Mamiya 645 PRO camera, and to expose your images using the shutter release on the camera body. This kit is only for use on the Mamiya 645 PRO camera. **This adapter kit will not function correctly with the Mamiya 645AF camera.**



Mamiya 645 Pro adapter



FlexFrame torx screw

FlexFrame torx screwdriver



Viewframe



Mamiya 645 Pro

Lenses for Mamiya 645 Pro

## The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020027

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by turning camera body | Support by turning camera body | Full support by square chip |

# Imacon FlexFrame

## Rollei 6001, 6003 and 6008

The Rollei 6000 adaptor kit allows you to mount a FlexFrame camera back on the Rollei 6001, 6003 or 6008 camera. This kit is for use only on the Rollei 6001, 6003 and 6008 cameras.



Rollei adaptor



2 x Expose cable



FlexFrame torx screw

FlexFrame torx screwdriver



Viewframe



Rollei 6000-series camera

Lenses for Rollei

### The adapter kit contains the following components:

■ Camera back adapter plate ■ Camera exposure cable with lens control support ■ Camera exposure cable without lens control support ■ Viewframes ■ 8 screws (4 for mounting, 4 spare) ■ screwdriver ■ manual

Item # 75020025

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by turning camera body | Support by turning camera body | Full support by square chip |

# Imacon FlexFrame

## Hasselblad 500 EL/500 ELM/553 ELX

The Hasselblad 553 ELX adaptor kit allows you to mount a FlexFrame camera back on the Hasselblad EL, ELM or ELX camera. This kit is only for use on the Hasselblad EL, ELM or ELX cameras.




### The adapter kit contains the following components:

■ Camera back adapter plate ■ Exposure cable for Hasselblad ELX ■ Exposure cable for Hasselblad 503CW ■ Viewframes ■ 8 screws (4 for mounting, 4 spare) ■ screwdriver ■ manual

Item # 75020023

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by turning camera body | Support by turning camera body | Full support by square chip |

# Imacon FlexFrame

## Hasselblad 555 ELD

The Hasselblad 555 ELD adaptor kit allows you to mount a FlexFrame camera back on the Hasselblad 555 ELD camera, and to release the shutter from the on- camera shutter release (in "Digi" position). This kit is for use on the Hasselblad 555 ELD camera.




### The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020024

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by turning camera body | Support by turning camera body | Full support by square chip |

# Imacon FlexFrame

## Hasselblad 503 CW

The Hasselblad 2- way adaptor kit for Hasselblad 503CW allows you to mount a FlexFrame camera back on the Hasselblad 503 CW equipped with the winder CW. This adapter will allow you to position the camera back so that you can shoot in either landscape or portrait mode.




### The adapter kit contains the following components:

■ Camera back adapter plate ■ Exposure cable for Hasselblad ELX ■ Exposure cable for Hasselblad 503CW ■ Exposure cable for Rollei lens control S ■ Viewframes ■ 8 screws (4 for mounting, 4 spare) ■ screwdriver ■ manual

Item # 75020026

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support using Hasselblad 2-way adpater | Full support using Hasselblad 2-way adpater | Full support by square chip |

# Imacon FlexFrame

## Hasselblad 2-way adapter

The Hasselblad 2-way adapter allows you to mount a FlexFrame camera back on any of the following cameras:

**In either landscape or portrait orientation:**

- Any view camera suited for a Hasselblad film- cassette
- Hasselblad 503 CW (with the winder CW attached)

**In landscape orientation:**

- Hasselblad 500 EL
- Hasselblad 500 ELM
- Hasselblad 553 ELX
- Hasselblad 555 ELD




## The adapter kit contains the following components:

- Camera back adapter plate
- Exposure cable for Hasselblad ELX
- Exposure cable for Hasselblad CW
- Exposure cable for Rollei lens control S
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item #75020026

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Please refer to camera model | Please refer to camera model | Full support by square chip |

# View Camera

## solutions in general

### Electronic shutter

FlexFrame camera backs require an electronic shutter to deliver the true color, moiré free colors from the Multi-shot and Micro-step modes of operation. The FlexFrame backs are not made to work controlled from the flash sync signal from e.g. The old Sinar-Copal shutters. There are two reasons for this:

- these solutions often invoke unacceptable vibrations on the view camera, and
- such solutions inspire for working with the old non-digital lenses which do not deliver the quality the digital backs are designed for.

### Focusing using ground glass or Live Video

The FlexFrame products can be focussed in 2 ways. One using a sliding adapter with a position for the ground glass and a position for the digital capture. The other is using the Live Video functionality of the FlexColor software allowing for online focusing using the monitor as meter. A Live Video only focusing solution is available simply by attaching the FlexFrame back onto a Hasselblad mount on the view camera. The solutions which follow are based upon the use of a Linhof sliding adapter, because this offers both the ground glass, the option for running Live Video in the capture position, and it includes the option for stitching more captures to reach larger image sizes.

### Stitching

The Linhof adapter has 3 positions for digital capture, with an image overlap allowing for what is called ‘stitching’. Stitching means combining basic captures into larger images by ‘digitally gluing the captures together’: Using the overlap sections, the images are positioned correctly and stitching software such as the "PanoStitcher" from Pixtra, or the "ImageAssembler" from Panavue, et. al. tie the captures into a combined larger file. You can find more information about these techniques in the "Links" section of this guide.

# Imacon FlexFrame

## Sinar P, P2, 4 x 5" View camera

The Sinar 4 x 5" adapter kit allows you to mount a FlexFrame camera back on your Sinar 4x5" camera. This kit is for use on Sinar P and Sinar P2 4 x 5" view cameras only.
**NB! Prerequisite for mounting a FlexFrame camera back on any 4 x 5" view camera, is the Hasselblad 2-way adapter. Please refer to p. 16 in this guide for details on item # 75020026**

Viewframe

Hasselblad 2-way adapter






Linhof ground glass
for sliding adapter

Linhof magnifyer
for sliding adapter



Linhof sliding adapter

Linhof Sinar mount



4x5" view camera

4x5" view camera
lens board

4x5" lens

12 v. power interface for
Rollei Lens Control S

12 v. power interface
connector to mains



Flexible arm

Exposure cable extension

Rollei Lens
Control S

## The adapter kit contains the following components:

■ Linhof sliding adapter ■ Linhof ground glass with 24 x 36 mm scoring ■ Linhof magnifyer ■ Linhof Sinar mount ■ Rollei electronic shutter with factory mounted Rodenstock 5.6/90 mm HR lens. ■ Rollei lens control-S panel for electronic shutter ■ 12 v. Power interface for lens control-S ■ 12 v. Power interface connector to mains ■ Flexible arm for lens control-S including ball-head and clamp ■ Sinar lens panel for size 0 Rollei electronic shutter

Item #75020300

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support | Full support | Full support by square chip |

# Imacon FlexFrame

## Linhof Kardan 4x5″ View camera

The Linhof Kardan 4 x 5" adapter kit allows you to mount a FlexFrame camera back on your Linhof 4 x 5" camera. This kit is for use on Linhof 4 x 5" view cameras only. **NB! Prerequisite for mounting a FlexFrame camera back on any 4 x 5" view camera, is the Hasselblad 2-way adapter. Please refer to p. 16 in this guide for details on item # 75020026**

Viewframe

Hasselblad 2-way adapter

FlexFrame torx screw

FlexFrame torx screwdriver

Expose cable



Linhof ground glass for sliding adapter

Linhof magnifyer for sliding adapter



Linhof sliding adapter

Linhof Kardan mount



4x5" view camera

4x5" view camera lens board

4x5" lens

12 v. power interface for Rollei Lens Control S

12 v. power interface connector to mains



Flexible arm

Exposure cable extension

Rollei Lens Control S

## The adapter kit contains the following components:

■ Linhof sliding adapter ■ Linhof ground glass with 24 x 36 mm scoring ■ Linhof magnifyer ■ Linhof Kardan mount ■ Rollei electronic shutter with factory mounted Rodenstock 5.6/90 mm HR lens. ■ Rollei lens control-S panel for electronic shutter ■ 12 v. Power interface for lens control-S ■ 12 v. Power interface connector to mains ■ Flexible arm for lens control-S including ball-head and clamp ■ Linhof lens panel for size 0 Rollei electronic shutter

Item #75020302

| | FlexFrame 3020-S | FlexFrame 3020 |  FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support | Full support | Full support by square chip |

# Imacon FlexFrame

## Linhof M679 cc View ccamera

The Linhof M679 cc adapter kit allows you to mount a FlexFrame camera back on your Linhof M679 camera. This kit is for use on the Linhof M679 view camera only. **NB! Prerequisite for mounting a FlexFrame camera back on a Linhof M679 view camera, is the Hasselblad 2-way adapter. Please refer to page 16 in this guide for details on item # 75020026**





Linhof ground glass for sliding adapter
Linhof magnifyer for sliding adapter
Linhof sliding adapter
Linhof M679
679 view camera lens board
4x5" lens
12 v. power interface for Rollei Lens Control S
12 v. power interface connector to mains
Flexible arm
Exposure cable extension
Rollei Lens Control S

### The adapter kit contains the following components:

■ Linhof sliding adapter ■ Linhof ground glass with 24 x 36 mm scoring ■ Linhof magnifyer ■ Rollei electronic shutter with factory mounted Rodenstock 5.6/90 mm HR lens. ■ Rollei lens control-S panel for electronic shutter ■ 12 v. Power interface for lens control-S ■ 12 v. Power interface connector to mains ■ Flexible arm for lens control-S including ball-head and clamp ■ Linhof lens panel for size 0 Rollei electronic shutter

Item #75020303

| |  FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support | Full support | Full support by square chip |

# Imacon FlexFrame

## Rollei Xact2

The Rollei Xact2 adapter kit allows you to mount a FlexFrame camera back on your Rollei Xact2 camera. This kit is for use on Rollei Xact and Rollei Xact2 view cameras only. **NB! Prerequisite for mounting a FlexFrame digital back on a Rollei Xact2 camera, is a fully equipped Xact 2 including electronic shutter, lens control and PanShot holder.**

Viewframe



Rollei adaptor

FlexFrame torx screw

FlexFrame torx screwdriver

Expose cable



Rollei Xact2 with PanShot

Rollei Xact lens board

4x5" lens

12 v. power interface for Rollei Lens Control S

12 v. power interface connector to mains



Flexible arm

Exposure cable extension

Rollei Lens Control S

## The adapter kit contains the following components:

- Camera back adapter plate
- Camera exposure cable with lens control support
- Camera exposure cable without lens control support
- Viewframes
- 8 screws (4 for mounting, 4 spare)
- screwdriver
- manual

Item # 75020025

| | FlexFrame 3020-S | FlexFrame 3020 | FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Support by 35 mm camera design | Support by 35 mm camera design | Full support by square chip |

# Imacon FlexFrame

## Horseman 4x5”View camera

TheHorseman 4 x 5" adaptor kit allows you to mount a FlexFrame camera back on your Horseman 4 x 5" camera. This kit is for use on Horseman 4 x 5" view cameras only.
**NB! Prerequisite for mounting a FlexFrame camera back on any 4 x 5" view camera, is the Hasselblad 2-way adapter. Please refer to p. 16 in this guide for details on item #75020026**

Viewframe

Hasselblad 2-way adapter



Linhof ground glass
for sliding adapter

Linhof magnifyer
for sliding adapter



Linhof sliding adapter

Linhof Horseman mount



4x5" view camera

4x5" view camera
lens board

4x5" lens

12 v. power interface for
Rollei Lens Control S

12 v. power interface
connector to mains



Flexible arm

Exposure cable extension

Rollei Lens
Control S

## The adapter kit contains the following components:

■ Linhof sliding adapter ■ Linhof ground glass with 24 x 36 mm scoring ■ Linhof magnifyer ■ Linhof Horseman mount ■ Rollei electronic shutter with factory mounted Rodenstock 5.6/90 mm HR lens ■ Rollei lens control-S panel for electronic shutter ■ 12 v. Power interface for lens control-S ■ 12 v. Power interface connector to mains ■ Flexible arm for lens control-S including ball-head and clamp ■ Horseman lens panel for size 0 Rollei electronic shutter

Item #75020301

| |  FlexFrame 3020-S | FlexFrame 3020 |  FlexFrame 4040 |
|---|---|---|---|
| **Landscape mode** | Full support | Full support | Full support by square chip |
| **Portrait mode** | Full support | Full support | Full support by square chip |

# Imacon FlexFrame

## Non listed view cameras

The FlexFrame solutions for view cameras in general are many. Please contact Imacon Camera Product Management for details on non listed view camera solutions.

**Remember to specify the exact:**

- Camera manufacturer
- Model

# Cameras not currently supported

Imacon A/S intends to make FlexFrame technology as widely accessible as possible. Due to market mechanisms and/or technical issues however, a number of cameras are not currently supported. Among these are:

Bronica GS-1
Bronica ETR-Si
Bronica SQ-Ai
Contax 645 AF
Hasselblad 500 C
Hasselblad 500 C/M
Hasselbad 503 Cxi
Hasselblad 2000f
Hasselblad 201 FA
Hasselblad 203 FE
Hasselblad 205 TCC
Hasselblad FlexBody
Hasselblad ArcBody
Hasselblad SW/C
Mamiya 645 AF
Mamiya RB 67 *
Rollei SL 66
Rollei SLX

Please forward any requests for new system adapters or other types of system enhancement you may receive to Imacon A/S.
You can forward the information using the adapter request form found at the back of this Solutions Guide, either by fax +45 7026 0900 or by e- mail to pstig@imacon.dk

** RB lenses can be used on RZ body*

# Cameras not currently supported

## Bronica

Models: GS-1, ETR-Si, SQ-Ai

Imacon does not currently offer Bronica adaptors. This is by no means any indication as to whether or not Imacon may or may not bring forth such options in the future as this decision is based on a number of factors, most notably market demand.

## Contax 645 AF

As the concept of high- end digital photography has initially been most enthusiastically embraced in studio environments, these have also been the first to experience the benefits of Imacons true high-end systems for direct digital capture, adapted to the photographer's workflow and the equipment most frequently used on the studios. The Contax 645AF, while it does offer some great features to the photographer, has not traditionally been considered a standard in studio environments, and thus has not been among the first camera systems to be adopted into the Imacon FlexFrame family. This is by no means any indication as to whether or not Imacon may or may not bring forth such options in the future as this decision is based on a number of factors, most notably market demand.

## Mamiya 645 AF

As the concept of high-end digital photography has initially been most enthusiastically embraced in studio environments, these have also been the first to experience the benefits of Imacons true high- end systems for direct digital capture, adapted to the photographers' workflow and the equipment most frequently used on the studios. The Mamiya 645AF, while it does offer some great features to the photographer, has not traditionally been considered a standard in studio environments, and thus has not been among the first camera systems to be adopted into the Imacon FlexFrame family. This is by no means any indication as to whether or not Imacon may or may not bring forth such options in the future as this decision is based on a number of factors, most notably market demand.

## Mamiya RB 67*

Due to the lack of optional electronic shutter control, this model does not currently allow the use of an Imacon FlexFrame back. This is by no means an indication as to whether or not Imacon may or may not bring forth such options in the future as this decision is based on a number of factors, most notably market demand

** RB lenses can be used on RZ body*

# Cameras not currently supported

## Hasselblad

Models: 500 c, 500 C/M, 501, 503 Cxi, 2000 f, 201 FA, 203 FE, 205 TCC, ArcBody, FlexBody, SW/C

Due to the lack of optional electronic shutter control, these models do not currently allow the use of an Imacon FlexFrame back. This is by no means any indication as to whether or not Imacon may or may not bring forth such options in the future as this decision is based on a number of factors, most notably market demand.

## Rollei

Models:
SL 66
SLX

Imacon does not currently offer adapters for these Rollei models. This is by no means an indication as to whether or not Imacon may or may not bring forth such options in the future, as this decision is based on a number of factors, most noteably market demand.

# Compatibility chart

## for Imacon FlexFrame

| | Supported | Not supported |
|---|---|---|
| **Bronica** | | GS-1, ETR-Si, SQ-Ai |
| **Contax** | | 645AF |
| **Fuji** | GX 680 II | |
| **Hasselblad** | 503 CW, 500 EL, 500 ELM, 553 ELX, 555 ELD | 500c, 500 C/M,501, 503 Cxi, 2000f, 201 FA, 203 FE, 205 TCC, SW/C, ArcBody, FlexBody. |
| **Horseman** | DigiFlex II, 4x5" monorail view | DigiFlex I |
| **Linhof** | Kardan 4x5", M679cc | |
| **Mamiya** | 645 PRO II, RZ 67 PRO II | RB 67*, 645 AF, 645 super, 645 1000s<br>*RB lenses can be used on RZ 67 body |
| **Rollei** | Xact, Xact2, 6001, 6003, 6008 integral, | SLX, SL66, 6002 |
| **Sinar** | P, P2, f, Norma | |

Please forward any requests for new system adapters or other types of system enhancement you may receive to Imacon A/S. You can forward the information using the adapter request form attached to this Solutions Guide, either by fax +45 7026 0900 or by e-mail to pstig@imacon.dk

# Links
## for Imacon FlexFrame

For a number of different applications, 3rd. party manufacturers have some brilliant solutions to applying the FlexFrame to specific shooting situations. Among these are:

- Kapture Group **www.kapturegroup.com**
- Precision Wide 35 camera PK-Digital: **www.pk-digital.it**
- Panavue ImageAssembler stitching software from: **www.panavue.com**
- PanoStitcher stitching software from: **www.pixtra.com**
- Stitching software overview on: **www.panoguide.com**
- Fuji GX 680 cameras: **www.fujifilm.com**
- Hasselblad cameras: **www.hasselblad.se**
- Horseman DigiFlex and 4 x 5" cameras: **www.schneideroptics.com/horseman**
- Horseman DigiFlex and 4 x 5" cameras: **www.komamura.co.jp/e**
- Linhof M679 and 4 x 5" cameras: **www.linhof.de**
- Mamiya cameras: **www.mamiya.com**
- Rollei cameras: **www.rollei.de**

# Imacon FlexFrame

## adapter request form

Requested:

| | | | |
|---|---|---|---|
| **Camera system** | Brand:<br><br>☐ 35 mm. | Brand:<br><br>☐ Medium format | Brand:<br><br>☐ Large Format |
| **Orientation** | ☐ Landscape | ☐ Portrait | ☐ Both |
| **FlexFrame** | ☐ 3020-S | ☐ 3020 | ☐ 4040 |
| **Triggering** | ☐ Camera shutter release | ☐ Camera remote cable | ☐ FlexColor software |
| **Shooting mode** | ☐ Single-shot | ☐ Multi-shot | ☐ Micro-step |
| **Additional Feature Request** | | | |
| **Estimated demand** | | | |
| **Requested by** | Name:<br><br>Date:<br><br>Company name: | | |

Please e-mail this form to: psn@imacon.dk
Or fax it to Imacon A/S at +45 7026 0900 attn. Peter Stig Nielsen